

TUBULAR CABLE LUG CU, VERSION FOR FINE-STRANDED CONDUCTORS DIN 0295, 185 MM² M 12, 1 PIECE
Article number: 183352

Tubular cable lugs Cu. Design for fine stranded conductors according to DIN 0295 and IEC 228. Technical data - Material: Cu-ETP according to DIN EN 13600 - Flared cable entry "Easy Entry"- Surface: electro tin plated, other surfaces on request - Annealed to copper hardness F20. Design: Cross-section: 185 mm²; Bolt-Ø: 12 mm; W: 37; Øi: 20,6; Øe: 26; C1: 19; C2: 20; a: 39,6; L: 96; Weight per 100 pcs. ~kg: 14,82; PU/pc. 1



| Attribute | Value |
|--------------------------------------|--------------------|
| Connection thread dimension (metric) | 12 |
| Connection bracket | 180° (horizontal) |
| Number of fixing holes | 1 |
| Nominal cross-section | 185 |
| Surface protection | verzinkt |
| Material | Kupfer |
| Insulated | No |
| AWG size | 350 kcmil |
| Narrow flange design | No |
| Flange shape | Ringform |
| With viewing hole | No |
| Ladder class | K1.5 = feindrähtig |

GTIN: 4021103833520

CIMCO Werkzeuge GmbH & Co. KG
 Hohenhagener Straße 1 – 5
 42855 Remscheid
 Telefon +49 2191 3718-01
 info@cimco.de • cimco.de