

AC/DC VOLTAGE TESTER 1000 V AC/1500 V DC

Article number: 111439

AC/DC voltage tester 1000 V AC/1500 V DC, the all-rounder incl. current measurement (fork) up to 200 A AC, TrueRMS true rms value measurement. Overvoltage category CAT III 1000 V, CATIV 600 V. With LED and LCD display. Integrated single-pole, rotating field direction and continuity test. Automatic polarity detection, resistance measurement up to 100k?, frequency range 15-800Hz. Self-test function. Tone and vibration function for safe feedback. Fast one-hand test on Schuko sockets. Flashlight function, test probe protection. Protection class IP64, tested according to EN61010, EN61243-3:2014. batteries included. Dimensions: 210x63x37 mm, weight: 270 g



Length (mm)	285 mm
Width (mm)	82 mm
Height (mm)	51 mm
Weight (kg)	0,5 kg

Attribute	Value
Display	digital
Multiple display	Yes
With screen backlighting	Yes
Measuring range selection	automatisch
Temperature measurement	No
Capacitance measurement	No
Frequency measurement	Yes
Continuity test	Yes
True RMS value measurement (TRMS)	Yes
Interface	No
Measured value memory	No
Measuring circuit category	CAT IV
Max. Voltage Measuring circuit category	600 V
Protection class (IP)	IP64
Power measurement	No
Analog bar graph display	No
Current measuring range/AC	0.1 A - 200 A
Type of current	AC/DC
Voltage measurement, AC	Yes

CIMCO Werkzeuge GmbH & Co. KG Hohenhagener Straße 1 – 5 42855 Remscheid Telefon +49 2191 3718-01 info@cimco.de • cimco.de

SICHER SEIT 1827.



Voltage measurement, DC	Yes
Resistance measuring range	Yes
Leakage current measurement	No
Harmonic measurement	No
Measurement in cable with forward and return conductor	No
Pliers opening	14 mm
Version as adapter for connection to mul- timeter	No

GTIN: 4021103061213

CIMCO Werkzeuge GmbH & Co. KG Hohenhagener Straße 1 – 5 42855 Remscheid Telefon +49 2191 3718-01 info@cimco.de • cimco.de

The technical data are empirical values according to the current state of production and are subject to customary tolerances, but do not represent guaranteed properties. We reserve the right to make technical changes.