

APPRENTICE CASE ECO PLUS, EQUIPPED

CIMCO Werkzeuge GmbH & Co. KG  
Hohenagener Straße 1 – 5  
42855 Remscheid  
Telefon +49 2191 3718-01  
info@cimco.de • cimco.de

**Article number: 172021**

ECO PLUS apprentice case, a robust tool case made of impact-resistant plastic with sturdy aluminum frame. Two robust, lockable tilt locks. Equipped with a removable bottom cover plate, which is equipped with tool pockets on one side. A deep-drawn bottom tray, with numerous subdivision options. Also, removable tool panel with a variety of tool pockets. Size: LxWxH: 395x455x205 mm. Weight: empty 3,450 g, loaded 6,200 g. The ECO PLUS apprentice case convinces with an excellent, 26-piece premium equipment that leaves nothing to be desired! Tool case equipment: Telephone pliers with 1000 V protective insulation, with straight jaws, 200 mm (10 0216), 1000 V side cutters, 160 mm (10 0574), 1000 V cross-recess screwdriver, Phillips PH 1x80 mm (11 7731), Phillips PH 2x100 mm (11 7732), 1000 V cross-recess screwdriver, Pozidriv PZ 1x80 mm (11 7741), Pozidriv PZ 2x100 mm (11 7742), 1000 V special screwdriver with combination profile, PZ FL 1x80 mm (11 7751), PZ FL 2x100 mm (11 7752), JOKARI stripping tools, cable knife without blade, for cables with a Ø from 8 to 28 mm (12 1014), stripping pliers SUPER 4 PLUS from 0.2 to 6 mm<sup>2</sup> (10 0780), inner can rod stripper with a Ø from 8 to 13 mm (12 2027). Furthermore, the following quality tools are included: DUOCUT cable shears (12 0108) FLEXI-CRIMP 6 ferrule crimping pliers cross-section range from 0.08 to 16 mm<sup>2</sup> (for single cores), as well as 2x0.5 to 2 x10 mm<sup>2</sup> (for twin ferrules) (10 1950), voltage tester, 2-pole (11 1442), 1000 V safety cable knife (12 1042), PUK pocket saw, span 150 mm (12 0502), locksmith's hammer, to DIN 1041/1193, 300 g (13 0804), painter's spatula, width 40 mm (13 1324), soft rubber plaster trough, ø 125 mm (14 0306), water brush (14 0310), Digital laser rangefinder FVP-30; measuring range up to 30 m, distance, area, volume or indirect measurement (21 1563), control cabinet spirit level 230 mm, torpedo shape, horizontal, vertical and 45° spirit level (21 1540), CIMCO construction marker, graphite. Suitable for all surfaces (21 3150).



|             |        |
|-------------|--------|
| Length (mm) | 440 mm |
| Width (mm)  | 190 mm |
| Height (mm) | 340 mm |
| Weight (kg) | 6,9 kg |

| Attribute | Value |
|-----------|-------|
|-----------|-------|

CIMCO Werkzeuge GmbH & Co. KG  
 Hohenhagener Straße 1 – 5  
 42855 Remscheid  
 Telefon +49 2191 3718-01  
 info@cimco.de • cimco.de

|                                    |        |
|------------------------------------|--------|
| Number of Phillips screwdrivers PZ | 4      |
| Number of slotted screwdrivers     | 3      |
| Number of pliers                   | 3      |
| Number of cable cutters            | 3      |
| Number of multifunctional tools    | 1      |
| Total number of tools              | 27     |
| Electrician set                    | Yes    |
| Heating/sanitary fitter set        | No     |
| Packaging                          | Koffer |
| Number of Phillips screwdrivers PH | 2      |
| Number of saws                     | 1      |
| Number of hammers                  | 1      |

GTIN: 4021103058251

CIMCO Werkzeuge GmbH & Co. KG  
Hohenhagener Straße 1 – 5  
42855 Remscheid  
Telefon +49 2191 3718-01  
info@cimco.de • cimco.de