

GIGANT TOOL CASE TROLLEY PRO "EXCELLENT", EQUIPPED

Article number: 176882

Toolbox Trolley Pro "Excellent" (CIMCO item no. 17 0094). The robust tool case for tough everyday use, IP67 water and dust protected, airtight, shockproof, acid and pressure resistant, acid resistant bolts in the hinge area. The rubber seal in the case shell protect the contents of the case from external influences. The equipment is as follows: 2 tilt latches on the side as well as 2 in the front area, with new 2-step mechanism for easier opening. 3 extremely wide and sturdy handles ensure optimal carrying comfort. The trolley handle can be locked at the lower and upper position for rolling comfort. Further features 2 tool panels in the case lid and in the case bottom. The lower tool board in the bottom tray rests on bars, the second tool board is secured at a distance of 50 mm from the lower one, resting on four metal brackets. Weight case empty: 14.500 g, case loaded: 20.000 g, W/D/H: 630/475/293 mm, internal dimensions L/W/H1/H2/H#: 538/405/180/60/240 mm Tool case equipment 1x each: 1000 V telephone pliers with straight jaws 200 mm, DIN ISO 5745 (10 0216), 1000 V telephone pliers with curved jaws 200 mm, DIN ISO 5745 (10 0238), 1000 V combination pliers 180 mm, DIN ISO 5746 (10 0336), 1000 V side cutters 160 mm, DIN ISO 5749B (10 0574) Screwdriver pliers, 160 mm (10 0352), JOKARI Automatic wire strippers SUPER 4 PRO (10 0784), Electronic side cutters 120 mm, oval round head, oblique, with cutting edge (10 0802), Water pump pliers DIN ISO 8976 with handles, 250 mm (10 1224), Crimping pliers system click 'n' crimp, electrical engineering (10 6000), punches, chrome vanadium steel, form o(reamer), ø 6 mm, 100 mm (11 0482), spherical head hexagonal pin wrench set 7 pieces SW 2.5 - 10, hand folding holder (11 0596), phase tester 120 - 250 V AC, 3.0/65 mm (11 1280), AC/DC TrueRMS current clamp, CAT II 600 V, CAT III 300 V, multimeter functions (11 1411), voltage tester with FI/RCD triggering, 90 - 690 V AC, CAT III 1000 V, CAT IV 600 V (11 1438), precision slotted screwdriver, color code white, 2.0x0.4x60 mm (11 1864), bit box 10 pieces with star-shaped holder for bits and universal holder (11 4604), 1000 V TORX® screwdriver, 145 mm, T 8x60 mm (11 7908), 1000 V TORX® screwdriver SLIM, 155 mm, T 10x60 mm (11 7784), 1000 V TORX® screwdriver SLIM, 175



CIMCO Werkzeuge GmbH & Co. KG
 Hohenhagener Straße 1 – 5
 42855 Remscheid
 Telefon +49 2191 3718-01
 info@cimco.de • cimco.de

mm, T 15x75 mm (11 7786), 1000 V TORX® screwdriver SLIM, 195 mm, T 20x100 mm (11 7788), 1000 V TORX®-Screwdriver SLIM, 195 mm, D 25x100 mm (11 7790), 1000 V Slotted-Screwdriver SLIM, 185 mm, 3.0x0.5x100 mm (11 7760), 1000 V Slotted-Screwdriver SLIM, 185 mm, 4.0x0.8x100 mm (11 7764), 1000 V Slotted-Screwdriver SLIM, 220 mm, 5.5x1.0x125 mm (11 7768), 1000 V slotted screwdriver SLIM, 245 mm, 6.5x1.2x150 mm (11 7770), 1000 V Phillips cross-recess screwdriver SLIM, PH 1x80 mm, 165 mm (11 7777), 1000 V Phillips cross-recess screwdriver SLIM, PH 2x100 mm, 195 mm (11 7779), 1000 V Pozidriv cross-recess screwdriver SLIM, PZ 1x80 mm, 165 mm (11 7776), 1000 V cross-recess screwdriver Pozidriv SLIM, PZ 2x100 mm, 195 mm (11 7778), VDE screwdriver interchangeable blade set, 18 pieces (11 7862), cable knife (12 0050), DUOCUT cable shears 160 mm, with two-stage cutting range (12 0108), universal shears 190 mm, hardness HRC 56 to 58 (12 0122), Pocket saw PROFI, span 150 mm (12 0490), JOKARI Cable knife with hook blade 8 - 28 mm ø (12 1010), Professional tape measure, 5 m, housing made of impact-resistant ABS plastic (21 0105), Digital laser rangefinder FVP-30, up to 30 m (21 1563)

Length (mm)	538 mm
Width (mm)	405 mm
Height (mm)	250 mm
Weight (kg)	19,999 kg

Attribute	Value
Number of Phillips screwdrivers PZ	2
Number of slotted screwdrivers	4
Number of hexalobular socket screwdrivers TX	4
Number of pliers	7
Number of cable cutters	5
Total number of tools	47
Electrician set	Yes
Heating/sanitary fitter set	No
Packaging	Koffer
Number of measuring devices	1
Number of Phillips screwdrivers PH	2
Number of bit inserts	11
Number of saws	1

GTIN: 4021103019245

CIMCO Werkzeuge GmbH & Co. KG
Hohenagener Straße 1 – 5
42855 Remscheid
Telefon +49 2191 3718-01
info@cimco.de • cimco.de