

CRIMP CABLE LUG, RING SHAPE CU, DIN 46234, CONDUCTOR CROSS-SECTION/CONNECTION STUD 120 MM²/8 MM Ø

Article number: 180496

Crimp terminals, ring type Cu, DIN 46234. Technical data - Material: Cu-ETP according to DIN EN 13600 - Surface: electro tin plated, other surfaces on request - Especially suitable for fine stranded conductors according to IEC 228. Cross-section: 120 mm²; bolt-Ø 8 mm; nominal size according to DIN: 8-120; D1: 17; D3: 8,4; A: 22; B: 24; L: 44; S: 3; weight per 100 pcs ~kg: 5,8; PU/pc: 1.



Length (mm) 180 mm
Width (mm) 100 mm
Height (mm) 42 mm
Weight (kg) 0,058 kg

Attribute	Value
Connection thread dimension (metric)	8
Surface protection	verzinnt
Material	Kupfer
Halogen-free	Yes
Strip goods	No
Total length	- mm
Suitable for solid conductors	No
Suitable for stranded conductors	Yes
Suitable for fine-stranded conductors	Yes
Corresponds to DIN	Yes
Sleeve shape	kurz
Flange shape	Ringform
Insulation	ohne
Nominal cross-section	120 mm ² - 120 mm ²
For tensile strength connections	No
Suitable for round conductors	Yes
Suitable for high temperatures (up to 650 °C)	No
Suitable for flat conductors	No
Suitable for enameled wire	No
Maximum current (I _{max})	- A
Flange length	- mm

CIMCO Werkzeuge GmbH & Co. KG
Hohenhagener Straße 1 – 5
42855 Remscheid
Telefon +49 2191 3718-01
info@cimco.de • cimco.de

Pin width (flat pin cable lug)	- mm
Pin diameter (pin cable lug)	- mm

GTIN: 4021103804964

CIMCO Werkzeuge GmbH & Co. KG
Hohenhagener Straße 1 – 5
42855 Remscheid
Telefon +49 2191 3718-01
info@cimco.de • cimco.de