

TUBULAR CABLE LUG, RING SHAPE, CONDUCTOR CROSS-SECTION/CONNECTION STUD 6 MM²/8 MM Ø
Article number: 180696

Tubular cable lug Cu, standard version. Technical data - Material: Cu-ETP according to DIN EN 13600 - Surface: electro tin plated, other surfaces on request - also suitable for fine stranded conductors according to IEC 228 tubular cable lugs Cu, standard version. Annealed to copper hardness F20. Cross-section: 6 mm²; stud-Ø: 8; W: 12; Øi: 3,5; Øe: 6,5; C1: 6,8; C2: 6,5; a: 9; L: 26,5; weight per 100pcs ~kg: 0,57; 7 mm: 1; crimp 5 mm: 1; PU/pc: 100.



| | |
|-------------|------------|
| Length (mm) | 140 mm |
| Width (mm) | 68 mm |
| Height (mm) | 68 mm |
| Weight (kg) | 0,00572 kg |

| Attribute | Value |
|--------------------------------------|-------------------|
| Connection thread dimension (metric) | 8 |
| Connection bracket | 180° (horizontal) |
| Number of fixing holes | 1 |
| Nominal cross-section | 6 mm ² |
| Surface protection | verzinkt |
| Material | Kupfer |
| Insulated | No |
| AWG size | 10 |
| Narrow flange design | No |
| Flange shape | Ringform |
| With viewing hole | No |
| Ladder class | verschiedene |

GTIN: 4021103806968

CIMCO Werkzeuge GmbH & Co. KG
 Hohenhagener Straße 1 – 5
 42855 Remscheid
 Telefon +49 2191 3718-01
 info@cimco.de • cimco.de