

**TUBULAR CABLE LUG, RING SHAPE, CONDUCTOR CROSS-SECTION/CONNECTION STUD 16 MM<sup>2</sup>/12 MM Ø**
**Article number: 180715**

Tubular cable lug Cu, standard version. Technical data - Material: Cu-ETP according to DIN EN 13600 - Surface: electro tin plated, other surfaces on request - also suitable for fine stranded conductors according to IEC 228 tubular cable lugs Cu, standard version. Annealed to copper hardness F20. Cross-section: 16 mm<sup>2</sup>; stud-Ø: 12; W: 19; Øi: 5,5; Øe: 8,5; C1: 13; C2: 12,5; a: 13; L: 44; weight per 100pcs ~kg: 1,07; 7 mm: 1; compression 5 mm: 2; PU/pc: 100.



|             |            |
|-------------|------------|
| Length (mm) | 140 mm     |
| Width (mm)  | 138 mm     |
| Height (mm) | 68 mm      |
| Weight (kg) | 0,01068 kg |

| Attribute                            | Value              |
|--------------------------------------|--------------------|
| Connection thread dimension (metric) | 12                 |
| Connection bracket                   | 180° (horizontal)  |
| Number of fixing holes               | 1                  |
| Nominal cross-section                | 16 mm <sup>2</sup> |
| Surface protection                   | verzinkt           |
| Material                             | Kupfer             |
| Insulated                            | No                 |
| AWG size                             | 6                  |
| Narrow flange design                 | No                 |
| Flange shape                         | Ringform           |
| With viewing hole                    | No                 |
| Ladder class                         | verschiedene       |

GTIN: 4021103807156

CIMCO Werkzeuge GmbH & Co. KG  
 Hohenhagener Straße 1 – 5  
 42855 Remscheid  
 Telefon +49 2191 3718-01  
 info@cimco.de • cimco.de