

TUBULAR CABLE LUG, RING SHAPE, CONDUCTOR CROSS-SECTION/CONNECTION STUD 25 MM²/5 MM Ø
Article number: 180718

Tubular cable lug Cu, standard version. Technical data - material: Cu-ETP according to DIN EN 13600 - surface: electro tin plated, other surfaces on request - also suitable for fine stranded conductors according to IEC 228 tubular cable lugs Cu, standard version. Annealed to copper hardness F20. Cross-section: 25 mm²; stud-Ø: 5; W: 14; Øi: 7; Øe: 10; C1: 7; C2: 7; a: 15; L: 35,5; weight per 100pcs ~kg: 1,18; 7 mm: 1; compression 5 mm: 2; PU/pc: 50.



Length (mm)	140 mm
Width (mm)	68 mm
Height (mm)	68 mm
Weight (kg)	0,0118 kg

Attribute	Value
Connection thread dimension (metric)	5
Connection bracket	180° (horizontal)
Number of fixing holes	1
Nominal cross-section	25 mm ²
Surface protection	verzinkt
Material	Kupfer
Insulated	No
AWG size	4
Narrow flange design	No
Flange shape	Ringform
With viewing hole	No
Ladder class	verschiedene

GTIN: 4021103807187

CIMCO Werkzeuge GmbH & Co. KG
 Hohenhagener Straße 1 – 5
 42855 Remscheid
 Telefon +49 2191 3718-01
 info@cimco.de • cimco.de