

## TUBULAR CABLE LUG, RING SHAPE, CONDUCTOR CROSS-SECTION/CONNECTION STUD 35 MM<sup>2</sup>/16 MM Ø

**Article number: 180737**

Tubular cable lug Cu, standard version. Technical data - Material: Cu-ETP according to DIN EN 13600 - Surface: electro tin plated, other surfaces on request - also suitable for fine stranded conductors according to IEC 228 tubular cable lugs Cu, standard version. Annealed to copper hardness F20. Cross-section: 35 mm<sup>2</sup>; stud-Ø: 16; W: 26; Øi: 8,5; Øe: 12; C1: 16; C2: 16; a: 17; L: 58; weight per 100pcs ~kg: 2,28; 7 mm: 1; compression 5 mm: 2; PU/pc: 1.



Length (mm)	57 mm
Width (mm)	26 mm
Height (mm)	12 mm
Weight (kg)	0,02284 kg

Attribute	Value
Connection thread dimension (metric)	16
Connection bracket	180° (horizontal)
Number of fixing holes	1
Nominal cross-section	35 mm <sup>2</sup>
Surface protection	verzinkt
Material	Kupfer
Insulated	No
AWG size	2
Narrow flange design	No
Flange shape	Ringform
With viewing hole	No
Ladder class	verschiedene

GTIN: 4021103807378

CIMCO Werkzeuge GmbH & Co. KG  
 Hohenagener Straße 1 – 5  
 42855 Remscheid  
 Telefon +49 2191 3718-01  
 info@cimco.de • cimco.de