


AL/CU COMPRESSION CONNECTOR 185/95 QMM

Article number: 183462

AL-CU compression connector made of E-Al and E-Cu according to EN 13600, bare. For connections of CU-cables according to DIN 48201, ALU-cables according to DIN 48201, part 1 and ALU-ropes DIN EN 50182. Design: cross section AL rm/sm: 185 mm²; cross section AL se: 240 mm²; cross section.: 95 mm²; Code number AL: 28; Code number CU: 18; AL: 18,3 mm; CU: 13,5 mm; Length: 108 mm; Weight CU kg/100: 4,96; Weight total kg/100: 14,45; Pressing- 7 mm: 3; Pressing- 5 mm: 6; Packs per piece: 1.



| | |
|-------------|-----------|
| Length (mm) | 108 mm |
| Width (mm) | 28 mm |
| Height (mm) | 28 mm |
| Weight (kg) | 0,1445 kg |

| Attribute | Value |
|---------------------------------------|---|
| Material | Aluminium/Kupfer |
| Nominal cross-section aluminum, RM/SM | 185 mm ² - 185 mm ² |
| Suitable for Al/St ropes | No |
| Cross-sectional shape | rund |
| Nominal cross-section aluminum, SE | 240 mm ² - 240 mm ² |
| For tensile strength connections | No |
| Oil stop/center bar | Yes |
| Suitable for Aldrey ropes | No |
| Voltage series | 0,6/1 kV |
| Connection as copper bolt | No |
| Reduced nominal Al cross-section | 240 mm ² |
| Nominal copper cross-section | 95 mm ² |

GTIN: 4021103834626

CIMCO Werkzeuge GmbH & Co. KG
 Hohenhagener Straße 1 – 5
 42855 Remscheid
 Telefon +49 2191 3718-01
 info@cimco.de • cimco.de